

**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

July 19, 2016

Mr. Roger Genschoreck
WIGHT & COMPANY
2500 N. Frontage Rd.
Darien, IL 60561

Project ID: GOODRICH PO# 05-3600-26
First Environmental File ID: 16-3879
Date Received: July 14, 2016

Dear Mr. Roger Genschoreck:


The above referenced project was analyzed as directed on the enclosed chain of custody record.

All Quality Control criteria as outlined in the methods and current IL ELAP/NELAP have been met unless otherwise noted. QA/QC documentation and raw data will remain on file for future reference. Our accreditation number is 100292 and our current certificate is number 003811: effective 02/17/2016 through 02/28/2017.

I thank you for the opportunity to be of service to you and look forward to working with you again in the future. Should you have any questions regarding any of the enclosed analytical data or need additional information, please contact me at (630) 778-1200.

Sincerely,

Lorrie Walker
Project Manager



Case Narrative

WIGHT & COMPANY

Lab File ID: **16-3879**


Project ID: **GOODRICH PO# 05-3600-26**

Date Received: **July 14, 2016**

All quality control criteria, as outlined in the methods, have been met except as noted below or on the following analytical report.

The results in this report apply to the samples in the following table:

| Laboratory Sample ID | Client Sample Identifier | Date/Time Collected |
|----------------------|--------------------------|---------------------|
| 16-3879-001 | G-MA METER | 7/13/2016 |
| 16-3879-002 | G-MB METER | 7/13/2016 |
| 16-3879-003 | G-1A FOUNTAIN | 7/13/2016 |
| 16-3879-004 | G-1B FOUNTAIN | 7/13/2016 |
| 16-3879-005 | G-2A FOUNTAIN | 7/13/2016 |
| 16-3879-006 | G-2B FOUNTAIN | 7/13/2016 |
| 16-3879-007 | G-3A FOUNTAIN | 7/13/2016 |
| 16-3879-008 | G-3B FOUNTAIN | 7/13/2016 |
| 16-3879-009 | G-4A FOUNTAIN | 7/13/2016 |
| 16-3879-010 | G-4B FOUNTAIN | 7/13/2016 |
| 16-3879-011 | G-5A FOUNTAIN | 7/13/2016 |
| 16-3879-012 | G-5B FOUNTAIN | 7/13/2016 |
| 16-3879-013 | G-6A FOUNTAIN | 7/13/2016 |
| 16-3879-014 | G-6B FOUNTAIN | 7/13/2016 |
| 16-3879-015 | G-7A FOUNTAIN | 7/13/2016 |
| 16-3879-016 | G-7B FOUNTAIN | 7/13/2016 |
| 16-3879-017 | G-8A FOUNTAIN | 7/13/2016 |
| 16-3879-018 | G-8B FOUNTAIN | 7/13/2016 |
| 16-3879-019 | G-9A FOUNTAIN | 7/13/2016 |
| 16-3879-020 | G-9B FOUNTAIN | 7/13/2016 |
| 16-3879-021 | G-10A FOUNTAIN | 7/13/2016 |
| 16-3879-022 | G-10B FOUNTAIN | 7/13/2016 |



Case Narrative

WIGHT & COMPANY

Lab File ID: **16-3879**

Project ID: **GOODRICH PO# 05-3600-26**

Date Received: **July 14, 2016**

All quality control criteria, as outlined in the methods, have been met except as noted below or on the following analytical report.

Sample Batch Comments:


Time of sample collection was not provided.

Method Comments

| Lab Number | Sample ID | Comments: |
|-------------|---------------|--|
| 16-3879-002 | G-MB METER | <i>Total Metals</i> Turbidity is >1; Sample was digested prior to analysis. |
| 16-3879-016 | G-7B FOUNTAIN | <i>Total Metals</i> Positive Pb result confirmed ny duplicate analysis. |

The following is a definition of flags that may be used in this report:

| Flag | Description | Flag | Description |
|------|--|------|--|
| < | Analyte not detected at or above the reporting limit. | L | LCS recovery outside control limits. |
| C | Sample received in an improper container for this test. | M | MS recovery outside control limits; LCS acceptable. |
| D | Surrogates diluted out; recovery not available. | P | Chemical preservation pH adjusted in lab. |
| E | Estimated result; concentration exceeds calibration range. | Q | Result was determined by a GC/MS database search. |
| G | Surrogate recovery outside control limits. | S | Analysis was subcontracted to another laboratory. |
| H | Analysis or extraction holding time exceeded. | W | Reporting limit elevated due to sample matrix. |
| J | Estimated result; concentration is less than routine RL but greater than MDL. | N | Analyte is not part of our NELAC accreditation or accreditation may not be available for this parameter. |
| RL | Routine Reporting Limit (Lowest amount that can be detected when routine weights/volumes are used without dilution.) | ND | Analyte was not detected using a library search routine; No calibration standard was analyzed. |




Analytical Report

Client: WIGHT & COMPANY
Project ID: GOODRICH PO# 05-3600-26

Date Received: 07/14/16
Date Reported: 07/19/16

| Lab No: | Sample ID: | Analyte | Result | R.L. | Units | Flags |
|---------------------|---------------|--------------------------|----------------------------------|-------|-------------|-------|
| Total Metals | | Method: 200.7R4.4 | Preparation Method 200.7W | | | |
| 16-3879-001 | G-MA METER | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/18/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |
| 16-3879-002 | G-MB METER | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/18/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | 0.010 | 0.005 | mg/L | |
| 16-3879-003 | G-1A FOUNTAIN | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/15/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |
| 16-3879-004 | G-1B FOUNTAIN | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/15/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |
| 16-3879-005 | G-2A FOUNTAIN | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/15/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |
| 16-3879-006 | G-2B FOUNTAIN | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/15/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |
| 16-3879-007 | G-3A FOUNTAIN | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/15/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |
| 16-3879-008 | G-3B FOUNTAIN | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/15/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |
| 16-3879-009 | G-4A FOUNTAIN | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/15/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |
| 16-3879-010 | G-4B FOUNTAIN | Date Collected: 07/13/16 | Time Collected: | | | |
| Analysis Date: | 07/15/16 | | Preparation Date: 07/15/16 | | | |
| | Lead | | < 0.005 | 0.005 | mg/L | |




Analytical Report

Client: WIGHT & COMPANY
Project ID: GOODRICH PO# 05-3600-26

Date Received: 07/14/16
Date Reported: 07/19/16

| Lab No: | Sample ID: | Analyte | Result | R.L. | Units | Flags |
|----------------|---------------|-------------|--------------------------|----------------------------|-------------|-------|
| 16-3879-011 | G-5A FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-012 | G-5B FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-013 | G-6A FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-014 | G-6B FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-015 | G-7A FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-016 | G-7B FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | 0.008 | 0.005 | mg/L | |
| 16-3879-017 | G-8A FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-018 | G-8B FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-019 | G-9A FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-020 | G-9B FOUNTAIN | | Date Collected: 07/13/16 | Time Collected: | | |
| Analysis Date: | 07/18/16 | | | Preparation Date: 07/15/16 | | |
| | | Lead | < 0.005 | 0.005 | mg/L | |



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: WIGHT & COMPANY
Project ID: GOODRICH PO# 05-3600-26

Date Received: 07/14/16
Date Reported: 07/19/16

| Lab No: | Sample ID: | Analyte | Result | R.L. | Units | Flags |
|-------------|----------------|-------------|--------------------------|-------|----------------------------|-------|
| 16-3879-021 | G-10A FOUNTAIN | | | | | |
| | | | Date Collected: 07/13/16 | | Time Collected: | |
| | | | Analysis Date: 07/18/16 | | Preparation Date: 07/15/16 | |
| | | Lead | < 0.005 | 0.005 | mg/L | |
| 16-3879-022 | G-10B FOUNTAIN | | | | | |
| | | | Date Collected: 07/13/16 | | Time Collected: | |
| | | | Analysis Date: 07/18/16 | | Preparation Date: 07/15/16 | |
| | | Lead | < 0.005 | 0.005 | mg/L | |



First Environmental Laboratories, Inc.

First Environmental Laboratories
 1600 Shore Road, Suite D
 Naperville, Illinois 60563
 Phone: (630) 778-1200 • Fax: (630) 778-1233
 E-mail: firstinfo@firstenv.com
 IEPA Certification #100292

CHAIN OF CUSTODY RECORD

Company Name: WRIGHT & COMPANY
 Street Address: 2500 N. FRONTAGE ROAD
 City: DARIEN State: IL Zip: 60561
 Phone: 630-969-7000 ext: 111
 Send Report To: ROGER GENSCHORECK
 Sampled By: R. GENSCHORECK

Project ID: GOODRICH 05-3600-26

P.O. #: 05-3600-26

| Date/Time Taken | Matrix | Sample Description | Matrix | Comments | Lab I.D. |
|-----------------|--------|--------------------|--------|----------|-------------|
| 7/13/16 | WATER | G-M A METEOR | X | | 16-3879-001 |
| | | G-M B METEOR | | | 002 |
| | | G-1A MOUNTAIN | | | 003 |
| | | G-1B | | | 004 |
| | | G-2A | | | 005 |
| | | G-2B | | | 006 |
| | | G-3A | | | 007 |
| | | G-3B | | | 008 |
| | | G-4A | | | 009 |
| | | G-4B | | | 010 |
| | | G-5A | | | 011 |
| | | G-5B | | | 012 |

FOR LAB USE ONLY:

Cooler Temperature: 0-1-6°C Yes No 9°C
 Received within 6 hrs. of collection: No 9°C
 Ice Present: Yes No 9°C

Sample Refrigerated: Yes No 9°C
 Refrigerator Temperature: _____ 9°C
 5035 Vials Frozen: Yes No 9°C
 Freezer Temperature: _____ 9°C

Notes and Special Instructions: A - DESIGNATES 1ST DRAW
B - DESIGNATES 2ND DRAW

Relinquished By: R. Amick Date/Time: 7/14 10:50
 Received By: [Signature] Date/Time: 7/14 10:50



First Environmental Laboratories, Inc.

First Environmental Laboratories
 1600 Shore Road, Suite D
 Naperville, Illinois 60563
 Phone: (630) 778-1200 • Fax: (630) 778-1233
 E-mail: firstinfo@firstenv.com
 IEPA Certification #100292

CHAIN OF CUSTODY RECORD

Company Name: WIGHT & COMPANY
 Street Address: 2500 N. FRONTAGE ROAD
 City: JARVIS State: IL Zip: 60561
 Phone: 630-969-7005 email: RGENSCHBERCK@WIGHTCO.COM
 Send Report To: ROGER GENISCHBERCK
 Sampled By: R. GENISCHBERCK

Project ID: GEORRICK

P.O. #: 05-3600-26

| Date/Time Taken | Sample Description | Matrix | Comments | Lab ID. |
|-----------------|--------------------|--------|----------|-------------|
| 7/13/16 | G-6A FOUNTAINS | WATER | | 10-3879-013 |
| | G-6R | | | 014 |
| | G-7A | | | 015 |
| | G-7B | | | 010 |
| | G-8A | | | 017 |
| | G-8B | | | 018 |
| | G-9A | | | 019 |
| | G-9B | | | 020 |
| | G-10A | | | 021 |
| | G-10B | | | 022 |

LEAD

Hold - Do Not Analyze

FOR LAB USE ONLY:

Cooler Temperature: 0.1-6°C Yes No No NA °C
 Refrigerator Temperature: Yes No No NA °C
 Received within 6 hrs. of collection: _____
 5035 Vials Frozen: Yes No No NA °C
 Ice Present: Yes No No NA °C

Notes and Special Instructions:

A DESICCATES 1ST DRAW
B DESICCATES 2ND DRAW

Relinquished By: R Amador Date/Time: 7/14 1050
 Received By: R Gen Date/Time: 7/14/16 1050